

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0101  
**DATE/TIME:** 8/5/2014 / 9:36

<b>CONSTRUCTION</b> Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>		<b>TYPE</b> Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>		<b>CONDITION</b> rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input checked="" type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

***PHYSICAL DESCRIPTION:***

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	4	X				BLACK, VISCOUS OIL					X	N	Y	N	N
Middle															
Bottom															

[illegible]

DRUM WAS FOUND INVERTED, EVIDENCE OF LEAKING, AND SLIGHTLY PRESURIZED. LOCATION: AREA 01

--

Date: 8/5/14

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP02-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0201  
**DATE/TIME:** 8/5/2014 / 9:25

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_\_\_\_39 ppm\_\_\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top	1	x				OIL, BLACK, VISCOUS					X	N	Y	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	SLIGHT	N	combustible	N	NA	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

--

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-PL0202-SW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0202  
**DATE/TIME:** 8/5/2014 / 10:20

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input checked="" type="checkbox"/> Other _____
MFG NAME: PERRY AUSTEN
CHEMICAL NAME
DRUM MARKINGS:
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_\_\_31 ppm\_\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top					X	WHITE GEL/ CREAM					X	Y	N	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	7	N	N	combustible	N	N	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

GEL/CREAM DID NOT REACT WITH pH STRIP; HYDRO LANE TOP COAT; VAPOR HARMFUL; CONTAINER 1/3 FULL.

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP01-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0301  
**DATE/TIME:** 8/5/2014 /11:26

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input checked="" type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: SUPERIOR LUBRICANTS; ADDRESS: 32 WARD RD N. TONAWANDA RD NY (716) 693 - 6050
CHEMICAL NAME: HYDRAULIC OIL
DRUM MARKINGS :
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE 34 ppm RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>						AMBER, VISCOUS, OILY					X	N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	combustible	N	NA	N	NA	N	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

LOCATION: AREA 03; CONTAINER: ½ FULL
--------------------------------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_ Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-DR0302-LW-01 **DRUM NUMBER:** DR0302  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3 **DATE/TIME:** 8/5/2014 / 10:54

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE 233 ppm RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top						OILY, AMBER					X	N	Y	N	N
Bottom						WATERY, LIGHT AMBER				X	X	Y	N	N	N

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	Y	N	NA	N	NA	N	NA
Bottom	7	N	N	N	Y*	Y**	N	NA	N	NA

**COMMENTS AND OBSERVATIONS**

TWO PHASES; TOP LAYER = 233 ppm VOCs; DRUM VOC = 45 ppm.  
\*SLIGHT INDICATION FOR INORGANIC CHLORIDE; \*\* POSITIVE FOR INORGANIC CHLORIDE.

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_ Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP01-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0303  
**DATE/TIME:** 8/5/2014 / 10:41

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE   1.1 ppm   RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>	3	x				AMBER, MODERATE, VISCOUS, OILY				X		N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	N	N	NA	N	NA	N	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

POSSIBLY OIL; LOCATION : AREA 03
----------------------------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0304  
**DATE/TIME:** 8/5/2014 / 10:54

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input checked="" type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS: TURBINE OIL
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE 25 ppm RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top															
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top										
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

WASTE OIL WRITTEN ON SIDE; NOT ENOUGH SUBSTANCE IN DRUM TO SAMPLE.

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP01-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0305  
**DATE/TIME:** 8/5/2014 / 10:30

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: MOBILE SYNTHETIC OIL
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_17 ppm\_\_\_\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>						AMBER, MODERATE VISCOUS, OILY				X		N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	combustible	N	N	N	NA	N	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

CONTAINER IS 1/2 FULL.; DRUM LOCATION AREA 03
---

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_JOEL SIEGEL\_\_\_\_\_

Date: \_\_\_\_\_8/5/14\_\_\_\_\_



**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0306  
**DATE/TIME:** 8/5/2014 / 11:20

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: BASF
CHEMICAL NAME
DRUM MARKINGS: PLUNONIC P84 SURFACTIN
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_0.5 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E					Y	E			E		
Top	1	X				YELLOW			X						
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top										
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

NOT ENOUGH TO SAMPLE. LOCATION; AREA 03
---

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_ Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0307  
**DATE/TIME:** 8/5/2014 / 11:23

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input checked="" type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_\_\_ 0 ppm \_\_\_ RAD METER \_\_\_ OTHER \_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top															
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top										
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

LOCATION: AREA 03; NOT ENOUGH MATERIAL TO SAMPLE

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0308  
**DATE/TIME:** 8/5/2014 / 12:07

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input checked="" type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: CASE
CHEMICAL NAME
DRUM MARKINGS: HYDRAULIC EXCAVATION FLUID
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE 140 ppm RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top	2	X				PURPLE, SLIGHTLY VISCOUS				X		N	Y	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	combustible	N	N	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

LOCATION: AREA 03
-------------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP02-LW-01

**DRUM NUMBER:** DR0309

**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DATE/TIME:** 8/5/2014 / 10:54

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other <u>FAIR</u>

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE 7.5 ppm    RAD METER \_\_\_\_\_    OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R Y	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	1	x				BLACK, VISCOUS OIL					X	N	Y	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	combustible	N	NA	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

LOOKS LIKE MOTOR OIL
----------------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0310  
**DATE/TIME:** 8/5/2014 / 12:25

CONSTRUCTION		TYPE		CONDITION	
Fiber <input type="checkbox"/>	Poly <input type="checkbox"/>	Poly Lined <input type="checkbox"/>	Salvage Drum <input type="checkbox"/>	rusted <input type="checkbox"/>	leaking <input type="checkbox"/> dented <input type="checkbox"/>
Steel <input checked="" type="checkbox"/>	Nickel <input type="checkbox"/>	Open Top <input checked="" type="checkbox"/>	Ring Top <input type="checkbox"/>	bulging <input type="checkbox"/>	perforated <input type="checkbox"/> good <input type="checkbox"/>
Stainless Steel <input type="checkbox"/>	Other <input type="checkbox"/>	Closed Top <input type="checkbox"/>		other _____ POOR _____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

Layers			Physical			Color/Description			Clarity			Solubility		Reaction		
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil	Syrup	Viscous,	C	C	O	W	H	A	W	
							Watery	Paste	Chunks	L	L	P	A	E	I	A
							Gel	Spongy	Soap-like	E	O	A	T	X	R	T
							Soft	Hard	Powder	A	U	Q	E	A		E
							Crystal	Granular	Rubbery	R	D Y	U E	R N E			R
Top	30	X				BLACK, VISCOUS OIL					X	N	Y	N	N	
Bottom	70	X				WATERY			X			Y	N	N	N	

[illegible]

DRUM FOUND ON ITS SIDE; MULTIPLE PHASES; CONTAINER ¼ FULL. TWO PHASES (BOTTOM LAYER DIDN'T MIX) * CYANIDE TEST DID NOT MIX.
--

--

Date: 8/5/14

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0311  
**DATE/TIME:** 8/5/2014 / 12:40

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input checked="" type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: BASF
CHEMICAL NAME:
DRUM MARKINGS: PLUNONIC P84 SURFACTAN
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_2.9 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top	1	x			x	BROWN/BLACK GREASE					Y	N	N	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	Y	N	N	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

GEL (GREASE); SAMPLE CONSISTS OF BOTH SOLID AND YELLOW LIQUID.

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0312  
**DATE/TIME:** 8/5/2014 / 12:57

<b>CONSTRUCTION</b> Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>		<b>TYPE</b> Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>		<b>CONDITION</b> rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R	C L O U D Y	O P A Q U E	W A T E R  N E	H E X A N E	A I R	W A T E R
Top	10	X				BROWN, SLIGHTLY VISCOUS, OIL					X	N	Y	N	N
Bottom	90	X				CLEAR, WATERY			X			Y	N	N	N

[illegible]

TWO PHASES – BOTTOM LAYER PROBABLY WATER; DRUM LOCATION: AREA 03; CONTAINER IS ½ FULL.

--

Date: 8/5/14

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-COMP02-LW-01 **DRUM NUMBER:** DR0313  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3 **DATE/TIME:** 8/5/2014 / 13:40

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input checked="" type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS: SPRAY PAINTED "WASTE OIL"
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_267 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top	3	X				BLACK, WATERY (NOT VISCOUS)					X	N	Y	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	SLIGHT	N	combustible	N	N	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

DRUM WAS FOUND UPSIDE DOWN; DRUM LOCATION AREA 03
---

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_ Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_



**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-DR0314-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0314  
**DATE/TIME:** 8/5/2014 / 10:54

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_1.0 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>	5	X				BROWN					X	N	Y	N	N
<b>Bottom</b>	95	X				GREEN					X	Y	N	N	N

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	combustible	N	NA	N	NA	N	NA
<b>Bottom</b>	8	N	N	N	N	Y	N	NA	N	NA

**COMMENTS AND OBSERVATIONS**

CONTAINER IS ½ HALF FULL; LOOKS LIKE ANTIFREEZE; DRUM LOCATION AREA 03

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0315  
**DATE/TIME:** 8/5/2014 / 14:22

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input checked="" type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_0.5 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R D Y	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	2	X				CLEAR, WATERY LIQUID			X			Y	N	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	9	N	N	N	N	N	N	N	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

APPEARS TO BE WATER WITH SOME DIRT AND ORGANICS

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0401

**DATE/TIME:** 8/5/2014 / 13:58

CONSTRUCTION		TYPE		CONDITION	
Fiber <input type="checkbox"/>	Poly <input type="checkbox"/>	Poly Lined <input type="checkbox"/>	Salvage Drum <input type="checkbox"/>	rusted <input checked="" type="checkbox"/>	leaking <input type="checkbox"/> dented <input type="checkbox"/>
Steel <input checked="" type="checkbox"/>	Nickel <input type="checkbox"/>	Open Top <input checked="" type="checkbox"/>	Ring Top <input type="checkbox"/>	bulging <input type="checkbox"/>	perforated <input type="checkbox"/> good <input type="checkbox"/>
Stainless Steel <input type="checkbox"/>	Other <input type="checkbox"/>	Closed Top <input type="checkbox"/>		other _____ POOR _____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

***PHYSICAL DESCRIPTION:***

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	2		X	X		BLACK						N	Y	N	N
Middle															
Bottom															

[illegible]

CONSISTING OF TAR AND HARD TO ANALYZE; XYLENE SOLUBLE
---

--

Date: 8/5/14

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0402  
**DATE/TIME:** 8/5/2014 / 14:03

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input checked="" type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME: HENENTA RANCH
CHEMICAL NAME
DRUM MARKINGS: PRUNE JUICE
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_\_\_\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E					Y	E			E		
Top															
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top										
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

EVIDENCE OF LEAKAGE, EMPTY.

**TEST COMPATIBILITY RESULTS:**

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-DR0501-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0501  
**DATE/TIME:** 8/5/2014 / 14:07

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS: XYLENE
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_8.2 ppm\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R D Y	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	50	X				BLACK, WATERY, MODERATE VISCOSITY				X		N	Y	N	N
Bottom	50	X				BLACK, MODERATE VISCOSITY						Y	N	N	N

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	combustible	N	N	N	NA	N	NA
Bottom	8	N	N	N	N	SLIGHT	N	NA	N	NA

**COMMENTS AND OBSERVATIONS**

12 INCHES INSIDE CONTAINER; DRUM LOCATION: AREA 05

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0502  
**DATE/TIME:** 8/5/2014 / 16:15

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____		
MFG NAME		
CHEMICAL NAME		
DRUM MARKINGS		
DRUM LABELS		

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_60 ppm\_\_\_\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>	2	X				DARK YELLOW, CLEAR LIQUID			X			N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	Y	Y	combustible	N	N	N	NA	N	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

--

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0601  
**DATE/TIME:** 8/5/2014 / 14:30

<b>CONSTRUCTION</b> Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>		<b>TYPE</b> Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>		<b>CONDITION</b> rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other___POOR_____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input checked="" type="checkbox"/> Other_____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

***PHYSICAL DESCRIPTION:***

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top	1					BLUE/GREEN			X			Y	N	N	N
Middle															
Bottom															

[illegible]

POSITIVE FOR SODIUM HYDROXIDE. NOT ENOUGH MATERIAL FOR LABORATORY ANALYSIS.

--

Date: 8/5/14

## DRUM INVENTORY & FIELD TESTING LOG

**DRUM NUMBER:** DR0701  
**DATE/TIME:** 8/5/2014 / 14:24

<b>CONSTRUCTION</b> Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>		<b>TYPE</b> Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>		<b>CONDITION</b> rusted <input checked="" type="checkbox"/> leaking <input checked="" type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other___POOR_____	
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other_____					
MFG NAME					
CHEMICAL NAME					
DRUM MARKINGS					
DRUM LABELS					

***PHYSICAL DESCRIPTION:***

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P H A S E	I N C H E S	L I Q U I D	S O L I D	S L U D G E	G E L	Oil Watery Gel Soft Crystal	Syrup Paste Spongy Hard Granular	Viscous, Chunks Soap-like Powder Rubbery	C L E A R	C L O U D Y	O P A Q U E	W A T E R	H E X A N E	A I R	W A T E R
Top		x				CLEAR, WATERY			X			Y	N	N	N
Middle															
Bottom															

[illegible]

CONTAINER IS 1/3 FULL; HYDRAULIC FLUID; STAINING ON GROUND ADJACENT TO DRUM; DRUM LOCATION AREA 07; APPEARS TO BE WATER.
--

--

Date: 8/5/14



**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-DR0702-SW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0702  
**DATE/TIME:** 8/5/2014 / 10:54

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE \_170 ppm\_    RAD METER \_\_\_\_\_    OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>			X	X		BLACK SOFT TAR					X	N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	Y	N	NA	N	NA	NA	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

APPEARS THAT TAR LEAKED ON THE GROUND; AREA 07

**TEST COMPATIBILITY RESULTS:**

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-DR0703-LW-01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0703  
**DATE/TIME:** 8/5/2014 / 14:33

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input checked="" type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS: HEAVY DUTY ENGINE OIL
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:**      MultiRAE 75.2 ppm    RAD METER \_\_\_\_\_    OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
<b>Top</b>			X			BROWN, OILY, SLIGHTLY VISCOUS					X	N	Y	N	N
<b>Middle</b>															
<b>Bottom</b>															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
<b>Top</b>	NA	N	N	combustible	N	N*	N	NA	N	NA
<b>Middle</b>										
<b>Bottom</b>										

**COMMENTS AND OBSERVATIONS**

*IMMISCIBLE
-------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** NA  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3

**DRUM NUMBER:** DR0801  
**DATE/TIME:** 8/5/2014 / 15:58

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input checked="" type="checkbox"/> Steel <input type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input checked="" type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____ POOR _____

DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input checked="" type="checkbox"/> Other _____
MFG NAME
CHEMICAL NAME
DRUM MARKINGS: CANOLA OIL
DRUM LABELS

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE \_3.0 ppm\_\_ RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top						VISCOUS AMBER			X			N	Y	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	NA	N	N	combustible	N	N	N*	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

\*DIFFICULT TO TEST, TWO PHASE; CONTAINER ½ FULL; TOP OF CONTAINER APPEARS CUT OPEN

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_

Date: \_\_\_\_\_ 8/5/14 \_\_\_\_\_

**WESTON SOLUTIONS, INC.**  
**EPA REGION II REMOVAL SUPPORT TEAM**

**DRUM INVENTORY & FIELD TESTING LOG**

**SITE NAME:** WILDROOT BUILDING **SAMPLE #:** P001-UST01-LW-01 **DRUM NUMBER:** TANK01  
**LOGGER:** CATHERINE DESARLE **SAMPLER:** RST 3 **DATE/TIME:** 8/7/2014 / 11:50

**DRUM DESCRIPTION:**

CONSTRUCTION	TYPE	CONDITION
Fiber <input type="checkbox"/> Poly <input type="checkbox"/> Steel <input checked="" type="checkbox"/> Nickel <input type="checkbox"/> Stainless Steel <input type="checkbox"/> Other <input type="checkbox"/>	Poly Lined <input type="checkbox"/> Salvage Drum <input type="checkbox"/> Open Top <input type="checkbox"/> Ring Top <input type="checkbox"/> Closed Top <input type="checkbox"/>	rusted <input type="checkbox"/> leaking <input type="checkbox"/> dented <input type="checkbox"/> bulging <input type="checkbox"/> perforated <input type="checkbox"/> good <input type="checkbox"/> other _____
DRUM SIZE (Gallons): 85 <input type="checkbox"/> 55 <input type="checkbox"/> 42 <input type="checkbox"/> 30 <input type="checkbox"/> 15 <input type="checkbox"/> 10 <input type="checkbox"/> 5 <input type="checkbox"/> Other <u>UST</u> _____		
MFG NAME		
CHEMICAL NAME		
DRUM MARKINGS		
DRUM LABELS		

**FIELD AIR MONITORING INSTRUMENT READINGS:** MultiRAE 400 ppm RAD METER \_\_\_\_\_ OTHER \_\_\_\_\_

**PHYSICAL DESCRIPTION:**

Layers			Physical			Color/Description			Clarity			Solubility		Reaction	
P	I	L	S	S	G	Oil	Syrup	Viscous,	C	C	O	W	H	A	W
H	N	I	O	L	E	Watery	Paste	Chunks	L	L	P	A	E	I	A
A	C	Q	L	U	L	Gel	Spongy	Soap-like	E	O	A	T	X	R	T
S	H	U	I	D		Soft	Hard	Powder	A	U	Q	E	A		E
E	E	I	D	G		Crystal	Granular	Rubbery	R	D	U	R	N		R
	S	D		E						Y	E		E		
Top	X	X				WATER-LIKE				X		Y	N	N	N
Middle															
Bottom															

**FIELD SCREENING RESULTS:**

Layers	pH	Oxidizer	Peroxide	Flammable	Chloride Hot Wire	Chloride	Cyanide	Mercury	Sulfide	PCB
Top	7	N	N	N	N	N	N	NA	N	NA
Middle										
Bottom										

**COMMENTS AND OBSERVATIONS**

UNDERGROUND STORAGE TANK
--------------------------

**TEST COMPATIBILITY RESULTS:**

--

Prepared by: \_\_\_\_\_ JOEL SIEGEL \_\_\_\_\_ Date: \_\_\_\_\_ 8/7/14 \_\_\_\_\_